

06

วิทยาการก้าวหน้าของกายวิภาค และสรีรวิทยาเต้านม
และกลไกการดูดนมแม่

1. Winocour S, Lemaine V. Hypoplastic breast anomalies in the female adolescent breast. *Semin Plast Surg* 2013; 27: 42-8.
2. Australian Breastfeeding Association. Insufficient glandular tissue (breast hypoplasia). 2017. Cited 12 May 2019. Available at: <https://www.breastfeeding.asn.au/bfinfo/insufficient-glandular-tissue-breast-hypoplasia>.
3. Tezer M. Smooth muscle morphology in the nipple-areola complex. In: Shiffman M. editor. *Nipple-areolar complex reconstruction*. Springer, Cham; 2018. p.71-3.
4. Brown TP, Ringrose C, Hyland RE, Cole AA, Brotherston TM. A method of assessing female breast morphometry and its clinical application. *Br J Plast Surg* 1999; 52(5): 355-9.
5. Park IY, Kim MR, Jo HH, Lee K L. Association of the nipple-areola complexes with age, parity, and breastfeeding in Korean premenopausal women. *J Human Lactation* 2014; 30(4): 474-79.
6. Sanuki J, Fukuma E, Uchida Y. Morphologic study of nipple-areola complex in 600 breasts. *Aesthetic Plast Surg* 2009; 33(3): 295-7.
7. เกรียงศักดิ์ จีระแพทย์. ปัญหาที่พบบ่อยในแม่ที่เลี้ยงลูกด้วยนมแม่. ใน: วิทยา ถิฐาพันธ์, พจนีย์ ผดุงเกียรติวัฒนา, กติกา นวพันธ์. บรรณาธิการ. *เวชปฏิบัติปริกำเนิดในสังคมที่กำลังเปลี่ยนแปลง*. กรุงเทพฯ: บริษัท ยูเนี่ยน ครีเอชั่น จำกัด; 2553. หน้า 23-36.

8. Glazebrook KN, Morton MJ, Reynolds C. Carcinoma of the breast mimicking an areolar dermal lesion. *J Ultrasound Med* 2007; 26: 1083–1087.
9. Mansel RE, Webster DJT, Sweetland HM. Hughes, Mansel & Webster's benign disorders and diseases of the Breast. 3rd ed. China: Elsevier; 2009. p. 25-40.
10. Cooper AP. *Anatomy of the breast*. London: Longman, Orme, Green, Browne and Longmans; 1840.
11. Ramsay DT, Kent JC, Hartmann RA, Hartmann PE. Anatomy of the lactating human breast redefined with ultrasound imaging. *J Anatomy* 2005; 206(6): 525-34.
12. Jamal N, Ng KH, McLean D, Looi LM, Moosa F. Mammographic breast glandularity in malaysian women: data derived from radiography. *AJR* 2004; 182(3): 713–7.
13. Heggie JCP. Survey of doses in screening mammography. *Australas Phys Eng Sci Med* 1996; 19(4): 207–16.
14. Bannister LH, Berry MM, Collins P, Dyson M, Dussek JE. *Gray's anatomy*, 38thed. New York: Churchill Livingstone; 1995: p. 417–424.
15. Hale, T, Hartmann, P. *Hale & Hartmann's Textbook of Human Lactation*. New York City: Springer Publishing Company; 2017.
16. Sarhadi NS, Shaw Dunn J, Lee FD, Soutar DS. An anatomical study of the nerve supply of the breast, including the nipple and areola. *Br J Plast Surg* 1996; 49(3): 156-64.
17. Williams PL, Warwick R, Dyson M, Bannister LH. *Gray's anatomy*, 37thed. New York: Churchill Livingstone; 1989. p. 1138.
18. Żelaźniewicz A, Pawłowski B. Maternal breast volume in pregnancy and lactation capacity. *Am J Phys Anthropol* 2019; 168(1): 180-9.
19. Cox DB, Kent JC, Casey TM, Owens RA, Hartmann PE. Breast growth and the urinary excretion of lactose during human pregnancy and early lactation: endocrine relationship. *Exp Physiol* 1999; 84(2): 421-34.
20. Kent JC: How breastfeeding works. *J Midwifery Womens Health* 2007; 52(6): 564–70.
21. Kent JC, Mitoulas L, Cox DB, Owens RA, Hartmann PE. Breast volume and milk production during extended lactation in women. *Exp Physiol* 1999; 84: 435-47.
22. Cole M. Lactation after perinatal, neonatal, or infant loss. *Clinical Lactation* 2012; 3(3): 94-100.

23. Pillay J, Davis TJ. Physiology, lactation. [Updated 2019 Apr 25]. In: StatPearls Treasure Island (FL): StatPearls Publishing. 2019. Cited 5 Aug 2019. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK499981/>
24. WIC Breastfeeding Support, U.S. Department of Agriculture. The phases of breast milk. 2019. Cited 12 May 2019. Available at: <https://wicbreastfeeding.fns.usda.gov/phases-breast-milk>.
25. França EL, Nicomedes TR, Calderon IMP, Honório-França AC. Time-dependent alterations of soluble and cellular components in human milk. *Biol Rhythm Res* 2010; 41: 333–47
26. Ballard O, Morrow AL. Human milk composition: nutrients and bioactive factors. *Pediatr Clin North Am* 2013; 60(1): 49–74.
27. Czosnykowska-Łukacka M, Królak-Olejnik B, Orczyk-Pawitowicz M. Breast milk macronutrient components in prolonged lactation. *Nutrients* 2018; 10(12): 1893. doi:10.3390/nu10121893.
28. Haschke F, Haiden N, Thakkar SK. Nutritive and bioactive proteins in breastmilk. *Ann Nutr Metab.* 2016; 69 (suppl 2): 17-26.
29. Johnson D. First AAP recommendations on iron supplementation include directive on universal screening. 2010. Cited 5 August 2019. Available at: <https://www.aappublications.org/content/early/2010/10/05/aapnews.20101005-1>.
30. Domellöf M, Braegger C, Campoy C, Colomb V, Decsi T, Fewtrell M, et al, ESPGHAN Committee on Nutrition. Iron requirements of infants and toddlers. *JPGN* 2014; 58(1): 119-121.
31. Pichiri G, Lanzano D, Piras M, Dessì A, Reali A, Puddu M, et al. Human breast milk stem cells: a new challenge for perinatologists. *J Pediatr Neonat Individual Med* 2016; 5(1): e050120. doi: 10.7363/050120.

07

แนวปฏิบัติการปกป้อง ส่งเสริม และสนับสนุนการเลี้ยงลูกด้วยนมแม่ ระยะตั้งครรภ์ ระยะหลังคลอด และเมื่อกลับบ้าน

1. Gurka KK, Hornsby PP, Drake E, Mulvihill EM, Kinsey EN, Yitayew MS, et al. Exploring intended infant feeding decisions among low-income women. *Breastfeed Med* 2014; 9 (8):377–84. doi: 10.1089/bfm.2014.0013.
2. Mekuria G, Edris M. Exclusive breastfeeding and associated factors among mothers in DebreMarkos, Northwest Ethiopia: a cross-sectional study. *Int Breastfeed J* 2015; 10: 1. doi: 10.1186/s13006-014-0027-0.
3. Rosen-Carole C, Hartman S, Academy of Breastfeeding Medicine. ABM clinical protocol #19: Breastfeeding promotion in the perinatal setting, revision 2015. *Breastfeed Med* 2015; 10(10): 451-7.
4. Alianmoghaddam N, Phibbs S, Benn C. Reasons for stopping exclusive breastfeeding between three and six months: a qualitative study. *J Pediatr Nurs* 2018; 39: 37-43.
5. Gö, I. Antenatal care and breastfeeding care and breastfeeding. *Turkish Journal of Family Medicine and Primary Care* 2018; 12(2): 102-8.
6. กรมอนามัย กระทรวงสาธารณสุข. คู่มือโรงเรียนพ่อแม่. นนทบุรี: กรมอนามัย; 2558.
7. Breastfeeding Expert Work Group Committee on Obstetric Practice. ACOG Committee Opinion No. 756: optimizing support for breastfeeding as part of obstetric practice. *Obstet & Gynecol* 2018; 132(4): e187-96. doi: 10.1097/AOG.0000000000002890.
8. Charlton R. Nutrition needs during lactation. In: Bernstein M, McMahon K, editors. *Nutrition across life stages*. Burlington, MA: Jones & Bartlett Learning; 2018. p. 91-126.
9. Buckley J, Savoie Roskos MR, Sharanghar S, Bhattle-Paralkar S. Pregnancy and lactation: nutrition-related conditions and diseases. In: Bernstein M, McMahon K, editors. *Nutrition across life stages*. Burlington, MA: Jones & Bartlett Learning; 2018. p. 127-56.
10. Health Nexus. Supporting mothers and babies: understanding breastfeeding and the Baby-Friendly Initiative. Best Start Resource Center. 2018. Cited 27 July 2019. Available at: <https://resources.beststart.org/product/b07e-healthy-mothers-healthy-babies-breastfeeding-web-course/>

11. Lawrence RA, Lawrence RM. Breastfeeding: a guide for the medical profession. 8thed. Philadelphia, PA: Elsevier Health Sciences; 2016. p. 242.
12. Meier PP, Brown LP, Hurst NM, Spatz DL, Engstrom JL, Borucki LC, et al. Nipple shields for preterm infants: effect on milk transfer and duration of breastfeeding. *J Hum Lact* 2000; 16(2): 106-14. quiz 129-31.
13. Chow S, Chow R, Popovic M, Lam H, Merrick J, Ventegodt S, et al. The use of nipple shields: a review. *Front Public Health* 2015; 3: article 236. doi: 10.3389/fpubh.2015.00236.
14. Feldman-Winter L, Goldsmith JP, AAP Committee on Fetus and Newborn, AAP Task Force on sudden infant death syndrome. Safe sleep and skin-to-skin care in the neonatal period for healthy term newborns. *Pediatrics* 2016; 138(3): e20161889. doi: 10.1542/peds.2016-1889.
15. Moore ER, Bergman N, Anderson GC, Medley N. Early skin-to-skin contact for mothers and their healthy newborn infants. *Cochrane Database Syst Rev* 2016; 11(11): CD003519. doi: 10.1002/14651858.CD003519.
16. NEOVITA Study Group. Timing of initiation, patterns of breastfeeding, and infant survival: prospective analysis of pooled data from three randomised trials. *Lancet Glob Health* 2016; 4(4): e266-75. doi: 10.1016/S2214-109X(16)00040-1.
17. World Health Organization. Implementation guidance: protecting, promoting and supporting breastfeeding in facilities providing maternity and newborn services-the revised Baby-friendly Hospital Initiative. Geneva: World Health Organization; 2018.
18. Wellstart International. Lactation management self-study modules, level I, 4thed. Shelburne, Vermont: Wellstart International; 2013.
19. Moore ER, Anderson GC. Randomized controlled trial of very early mother-infant skin-to-skin contact and breastfeeding status. *J Midwifery Womens Health* 2007; 52(2): 116-25.
20. Moore E. Randomized controlled trial of early mother-infant skin-to-skin contact and breastfeeding success [dissertation]. Nashville, Tennessee: Vanderbilt University; 2005.
21. Mizuno K, Mizuno N, Shinohara T, Noda M. Mother-infant skin-to-skin contact after delivery results in early recognition of own mother's milk odor. *Acta Paediatr* 2004; 93(12): 1560-62.

22. Bartocci M, Winberg J, Ruggiero C, Bergqvist LL, Serra G, Lagercrantz H. Activation of olfactory cortex in newborn infants after odor stimulation: a functional near-infrared spectroscopy study. *Pediatr Res* 2000; 48(1): 18-23.
23. Karimi A, Tara F, Khadivzadeh T, Sharbaf A, Reza H. The effect of skin to skin contact immediately after delivery on the maternal attachment and anxiety regarding infant. *IJOGI* 2013; 16(67): 7-15.
24. Widström AM, Brimdyr K, Svensson K, Cadwell K, Nissen E. Skin-to-skin contact the first hour after birth, underlying implications and clinical practice. *Acta Paediatr*. 2019; 108: 1192-204.
25. Safari K, Saeed AA, Hasan SS, Moghaddam-Banaem L. The effect of mother and newborn early skin-to-skin contact on initiation of breastfeeding, newborn temperature and duration of third stage of labor. *Int Breastfeed J* 2018; 13: 32. doi: 10.1186/s13006-018-0174-9
26. Khadivzadeh T, Karimi FZ, Tara F, Bagheri S. The effect of postpartum mother-infant skin-to-skin contact on exclusive breastfeeding in neonatal period: a randomized controlled trial. *Int J Pediatr* 2016; 4(5): 5409-17.
27. Sharma A. Efficacy of early skin-to-skin contact on the rate of exclusive breastfeeding in term neonates: a randomized controlled trial. *Afr Health Sci* 2016; 6(3): 790-7.
28. Elsharty A, McConachie I. Skin to skin: a modern approach to caesarean delivery. *J Obstetr Anaesth Crit Care* 2017; 7(1): 13-9.
29. Mercer JS, Erickson-Owens DA, Graves B, Haley MM. Evidence-based practices for the fetal to newborn transition. *J Midwifery Womens Health* 2007; 52: 262-72.
30. Sundin CS, Mazac LB. Implementing skin-to-skin care in the operating room after cesarean Birth *Am J Matern Child Nurs* 2015; 40: 249-55.
31. Moran-Peters JA, Zauderer CR, Goldman S, Baierlein J, Smith AE. A quality improvement project focused on women's perceptions of skin-to-skin contact after cesarean birth. *Nurs Womens Health* 2014; 18: 294-303.
32. Karimi FZ, Heidarian Miri H, Salehian M, Khadivzadeh T, Bakhshi M. The effect of mother-infant skin to skin contact after birth on third stage of labor: a systematic review and meta-analysis. *Iran J Public Health* 2019; 48(4): 612-20.

33. Saxton A, Fahy K, Rolfe M, Skinner V, Hastie C. Does skin-to-skin contact and breastfeeding at birth affect the rate of primary postpartum haemorrhage: results of a cohort study. *Midwifery* 2015; 31(11): 1110-7.
34. Christensson K, Cabrera T, Christensson E, Uvnäs-Moberg K, Winberg J. Separation distress call in the human neonate in the absence of maternal body contact. *Acta Paediatr* 1995; 84(5): 468-73.
35. Marín Gabriel MA, Llana Martín I, López Escobar A, Fernández Villalba E, Romero Blanco I, Touza Pol P. Randomized controlled trial of early skin-to-skin contact: effects on the mother and the newborn. *Acta Paediatr* 2010; 99: 1630-4.
36. Nolan A, Lawrence C. A pilot study of a nursing intervention protocol to minimize maternal-infant separation after cesarean birth. *J Obstet Gynecol Neonatal Nurs* 2009; 38: 430-42.
37. Marín Gabriel MA, Llana Martín I, López Escobar A, Fernández Villalba E, Romero Blanco I, Touza Pol P. Randomized controlled trial of early skin-to-skin contact: effects on the mother and the newborn. *Acta Paediatr* 2010; 99: 1630-4.
38. Erlandsson K, Dsilna A, Fagerberg I, Christensson K. Skin-to-skin care with the father after cesarean birth and its effect on newborn crying and prefeeding behavior. *Birth* 2007; 34(2): 105-14.
39. Shorey S, He HG, Morelius E. Skin-to-skin contact by fathers and the impact on infant and paternal outcomes: an integrative review. *Midwifery* 2016; 40: 207-17.
40. Stirparo S, Farcomeni A, Laudani A, Capogna G, Maintaining neonatal normothermia during WHO recommended skin-to-skin contact in the setting of cesarean section under regional anesthesia. *Open J Anesthesiology* 2013; 3(3): 186-8.
41. Niermeyer S, Velaphi S. Promoting physiologic transition at birth: re-examining resuscitation and the timing of cord clamping. *Semin Fetal Neonatal Med* 2013; 18(6): 385-92.
42. Widström AM, Lilja G, Aaltomaa-Michalias P, Dahllöf A, Lintula M, Nissen E. Newborn behaviour to locate the breast when skin-to-skin: a possible method for enabling early self-regulation. *Acta Paediatr* 2011; 100(1): 79-85.
43. Christensson K, Siles C, Moreno L, Belaustequi A, De La Fuente P, Lagercrantz H, et al. Temperature, metabolic adaptation and crying in healthy full-term newborns cared for skin-to-skin or in a cot. *Acta Paediatr* 1992; 81: 488-93.

44. Ludington-Hoe SM, Morgan K. Infant assessment and reduction of sudden unexpected postnatal collapse risk during skin-to-skin contact. *Newborn Infant Nurs Rev* 2014; 14(1): 28-33.
45. Jenson D, Wallace S, Kelsay P. LATCH: A breastfeeding charting system and documentation tool. *JOGNN* 1994; 23(1): 27-32.
46. Sowjanya SVNS, Venugopalan L. LATCH Score as a predictor of exclusive breastfeeding at 6 weeks postpartum. *Breastfeed Med* 2018; 13(6): 444-9.
47. Riordan JM, Bibb D, Miller M, Rawlins T. Predicting breastfeeding duration using the LATCH breastfeeding assessment tool. *J Hum Lact* 2001; 17: 20-3.
48. Payakkaraung S, Sangperm P, Samart C. Breastfeeding problem in early postpartum period: mother's experiences. *J Nurs Sci* 2016, 34(3): 30-40.
49. Renfrew MJ, McCormick FM, Wade A, Quinn B, Dowswell T. Support for healthy breastfeeding mothers with healthy term babies. *Cochrane Database Syst Rev* 2012; 5(5): CD001141. doi: 10.1002/14651858.CD001141.pub4.
50. Schmied V, Beake S, Sheehan A, McCourt C, Dykes F. Women's perceptions and experiences of breastfeeding support: a metasynthesis. *Birth* 2011; 38(1): 49-60.
51. Fox R, McMullen S, Newburn M. UK women's experiences of breastfeeding and additional breastfeeding support: a qualitative study of Baby Café services. *BMC Pregnancy Childbirth* 2015; 15: 147. doi: 10.1186/s12884-015-0581-5
52. ประกาศคณะกรรมการหลักประกันสุขภาพแห่งชาติ เรื่องประเภทและขอบเขตของบริการสาธารณสุข ฉบับที่ (๑๐) พ.ศ. ๒๕๕๙ และเอกสารแนบท้ายประกาศคณะกรรมการหลักประกันสุขภาพแห่งชาติ น ๒-๒๕. ลงวันที่ ๗ เมษายน ๒๕๕๙.
53. Ericson J, Eriksson M, Hellström-Westas L, Hoddinott P, Flacking R. Proactive telephone support provided to breastfeeding mothers of preterm infants after discharge: a randomised controlled trial. *Acta Paediatr* 2018; 107(5): 791-8.
54. Agostino MR. Post-discharge telephone support for the first-time, low-risk, breastfeeding mother. *J Obstetr Gynecol Neonatal Nurs* 2012; 41(supp1): S142-3.
55. Bridges N, Howell G, Schmied V. Exploring breastfeeding support on social media. *Int Breastfeed J* 2018; 13: 22. doi: 10.1186/s13006-018-0166-9.
56. วิณา จีระแพทย์. เทคโนโลยีดิจิทัลในงานบริหารกำเนิต ยุคสุขภาวะ 4.0. ใน: เพิ่มศักดิ์ สุขเมขศรี. บรรณาธิการ. ก้าวหน้าไปด้วยกันเพื่อการบริหารกำเนิต 4.0 กรุงเทพฯ: บริษัท แอคทีฟ พรินท์ จำกัด; 2561.

08

การดูแลนมจากเต้า การบีบเก็บนมแม่ และการนำไปใช้เลี้ยงทารก

1. Wellstart International. Lactation Management Self-Study Modules, Level I, 4thed. Shelburne, Vermont: Wellstart International; 2013.
2. เกรียงศักดิ์ จีระแพทย์. ทำอุ้มดูคนแม่. ใน สันติ ปุณณะหิตานนท์, บรรณาธิการ. Practical Points and Updates in Neonatal Care. กรุงเทพฯ:บริษัท แอคทีฟ พรินท์ จำกัด; 2562. หน้า 381-388.
3. Naylor AJ, Wester RA. Wellstart International lactation management self-study modules level 1. 4thed. Shelburne, Vermont: Wellstart International; 2014.
4. Riordan J, Hoover K. Perinatal and intrapartum care. In: Riordan J, Wambach K, editors. Breastfeeding and human lactation. 4thed. Boston: Jones and Bartlett Publishers; 2010. p. 222-51.
5. วิธนา จีระแพทย์. การบีบและปัมน้ำนมจากเต้า. ใน สันติ ปุณณะหิตานนท์, บรรณาธิการ. Practical Points and Updates in Neonatal Care. กรุงเทพฯ: บริษัท แอคทีฟ พรินท์ จำกัด; 2562. หน้า 402-410.
6. Australian Breastfeeding Association. Breastfeeding: expressing and storing breastmilk. South Melbourne: Australian Breastfeeding Association; 2017. p. 3-22.
7. Ramsay DT, Kent JC, Hartmann RA, Hartman PE. Anatomy of the lactating human breast redefined with ultrasound imaging. J Anat 2005; 206: 525-34.
8. Bonyato K. Establishing and maintaining milk supply when baby is not breastfeeding. 2018. Cited 27 September 2019. Available at: <https://kellymom.com/ages/newborn/nb-challenges/maintainsupply-pump/>
9. Eglash A, Simon L; Academy of Breastfeeding Medicine. ABM clinical protocol #8: human milk storage information for home use for full-term infants, revised 2017. Breastfeed Med 2017; 12(7): 390-395.
10. Correction to: ABM clinical protocol #8: human milk storage information for home use for full-term infants, revised 2017, by Eglash A, Simon L, and The Academy of Breastfeeding Medicine. Breastfeed Med 2017; 12(7):390-395. doi:

10.1089/dna.2017.29047.aje. Erratum in: Breastfeed Med. 2018 13(6):459. doi:
10.1089/bfm.2017.29047.aje.correx.

11. Centers for Disease Control and Prevention. Proper storage and preparation of breast milk. 2019. Cited 12 October 2019. Available at https://www.cdc.gov/breastfeeding/recommendations/handling_breastmilk.htm.